



Kyrgyzstan bsm570m10 72hph

bsm570m10-72hph - ?? ?????????????????? ?????????????????? ??????? ??????, ??????????? ?? ?????????????? ?
????????? ?? ?????????????? ?????????????????? ??????????.

BSM570M10-72HPH. Product name solar panel 600w. Weight 31.5KG. Power Tolerance 0~+5W. Cable
Portrait 300mm/Landscape 1200mm/Customized. Junction Box IP68 ...

BSM570M10-72HPH. Frame Anodized Aluminium Alloy. Maximum system voltage 1000/1500VDC (IEC)
Application Commercial/Residential. Per Pallet 31 pieces. Per ...

BSM570M10-72HPH. Size 2279*1134*35mm. Weight 28.8KGS. Type Half Cell Solar Panel. Application
Solar Power System. Warranty 25yrs. Backsheet glass. Keyword High Efficiency ...

BSM560M10-72HPH	BSM565M10-72HPH	BSM570M10-72HPH	BSM575M10-72HPH
BSM580M10-72HPH	MECHANICAL SPECIFICATION	SPECIFICATIONS	Maximum Power Module
Type STC	NMOT	STC	NMOT
(Pmax/W)	Operating Voltage	(Vmp/V)	Operating Current (Imp/A)
Open-Circuit Voltage (Voc/V)	Short-Circuit Current	...	

- ??????: BSM570M10-72HPH. - ?????????????? ?????????????? (Pmax): 570W. - ?????? ?????????? (Vmp): 42.51V. -
????????? ?????? (Imp): 13.41A. - ?????????? ?????????????? ?????? (Voc): 50.20V. - ...

BSM570M10-72HPH: Cell Dimensions: 182*91mm: Cell Arrangement: 144 (6*24) Certificate: TUV, UL,
CEC, CE, FSEC: Warranty: 25 Years: Inquiry Now Datasheet. INTRODUCTION oHigh module conversion
efficiency. Utilizing MBB half-cell technology, these panels achieve a remarkable efficiency of up to 22.26%,

BSM570M10-72HPH. Size 2279*1134*35mm. Weight 28.8KGS. Type Half Cell Solar Panel. Application
Solar Power System. Warranty 25yrs. Backsheet glass. Keyword High Efficiency Solar Panel. Front Glass
3.2mm (0.13inches) AR Coating Tempered Glass. Output power ...

BSM570M10-72HPH: Cell Dimensions: 182*91mm: Cell Arrangement: 144 (6*24) Certificate: TUV, UL,
CEC, CE, FSEC: Warranty: 25 Years: Inquiry Now Datasheet. INTRODUCTION ...

- ??????: BSM570M10-72HPH. - ?????????????? ?????????????? (Pmax): 570W. - ?????? ?????????? (Vmp): 42.51V. -
????????? ?????? (Imp): 13.41A. - ?????????? ?????????????? ?????? (Voc): 50.20V. - ?????? ?????????????? ?????????????? (Isc):
14.34A.

BSM570M10-72HPH. 2278*1134*35mm. Monofacial/ 182mm/ half cut/ 25 years warra. ...
BSM565M10-72HPH. 2278*1134*35mm. Monofacial/ 182mm/ half cut/ 25 years w. Your Reliable Partner in



Kyrgyzstan bsm570m10 72hph

the European and US PV Market. Supply Stability. Partner with Bluesun Solar for uninterrupted business operations. Benefit from our robust supply chain and ready-to ...

BSM570M10-72HPH. Product name solar panel 600w. Weight 31.5KG. Power Tolerance 0~+5W. Cable Portrait 300mm/Landscape 1200mm/Customized. Junction Box IP68 Rated. Connector T01/LJQ-3-CSY/pv connector/pv connector-EVO2. Backsheet Glass. Maximum system Voltage 1000V/1500V DC ...

*Release BSMXXM10-72HPH(560-575W)-2024-05-Rev01-EN MONOFACIAL Your Best PV Supplier BSM570M10-72HPH 560~575W HALF CELL PERC THE IDEAL SOLUTION FOR: Rooftop arrays on residential buildings Ground-mounted solar ...

BSM570M10-72HPH. Frame Anodized Aluminium Alloy. Maximum system voltage 1000/1500VDC (IEC) Application Commercial/Residential. Per Pallet 31 pieces. Per Container (40" HQ) 620 pieces. Certificate ETL TUV CE. Weight 28.6kg. Operating Temperature -40~+85°C. Maximun Series Fuse ...

Contact us for free full report

Web: <https://www.cuddably.co.za/contact-us/>

Email: energystorage2000@gmail.com



Kyrgyzstan bsm570m10 72hph

WhatsApp: 8613816583346

